# cancer.org | 1.800.227.2345

# **After Ovarian Cancer Treatment**

Get information about how to live well after ovarian cancer treatment and make decisions about next steps.

Living as a Cancer Survivor

# Living as an Ovarian Cancer Survivor

For some people with ovarian cancer, treatment may remove or destroy the cancer. Completing treatment can be both stressful and exciting. You will be relieved to finish treatment, yet it is hard not to worry about cancer coming back. (When cancer returns, it is called *recurrence*.) This is very common if you've had cancer.

For other people, ovarian cancer never goes away completely. Some women may be treated with <u>chemotherapy</u><sup>1</sup> on and off for years. Learning to live with cancer that does not go away can be difficult and very stressful.

Life after ovarian cancer means returning to some familiar things and also making some new choices.

## Follow up care

## Ask your doctor for a survivorship care plan

Talk with your doctor about developing a survivorship care plan for you. This plan might include:

questions and talk about any changes or problems you notice or concerns you have.

To some extent, the frequency of follow up visits and tests will depend on the <a href="stage">stage</a><sup>2</sup> of your cancer and the chance of it coming back.

#### **Doctor visits**

Your doctor will probably recommend you have a physical exam and pelvic exam every 2 to 4 months for the first couple of years after treatment, then every 3-6 months or so for the next few years.

## **Imaging tests**

Whether or not your doctor recommends imaging tests will depend on the stage of your cancer and other factors. CT scans, MRIs or PET scans may be done depending on any symptoms or other concerning signs.

#### **Blood tests for tumor markers**

Follow-up for ovarian cancer usually includes blood tests for tumor markers or hormones that help recognize recurrence. The choice of which blood tests to do depends on the type of cancer a woman has.

- For epithelial ovarian cancer, CA-125 is the tumor marker used most often to check for recurrence. But it is not clear if checking for CA-125 levels and treating you before you have symptoms will help you live longer. Treatment based only on CA-125 levels and not symptoms can increase side effects, so it is important to discuss the pros and cons of CA-125 monitoring and quality of life with your doctor. Tests for other tumor markers, such as CA 19-9, CEA, and HE-4, are used most often for women whose CA-125 levels never went up.
- For germ cell tumors, blood is tested for alpha-fetoprotein (AFP) and/or human chorionic gonadotropin (HCG).
- For stromal cancers, checking levels of hormones like estrogen, testosterone, and inhibin is sometimes helpful.

### Keeping health insurance and copies of your medical records

Even after treatment, it's very important to keep <u>health insurance</u><sup>3</sup>. Tests and doctor visits cost a lot, and even though no one wants to think of their cancer coming back, this

could happen.

At some point after your cancer treatment, you might find yourself seeing a new doctor who doesn't know about your medical history. It's important to keep copies of your medical records to give your new doctor the details of your diagnosis and treatment. Learn more in Keeping Copies of Important Medical Records<sup>4</sup>.

## Can I lower my risk of the ovariancancer progressing or coming back?

If you have (or have had) ovarian cancer, you probably want to know if there are things you can do that might lower your risk of the cancer growing or coming back, such as exercising, eating a certain type of diet, or taking nutritional supplements. While there are some things you can do that might be helpful, more research is needed to know for sure.

### Get regular physical activity

pno somokng Some studies have shown that women who are more <u>physically active</u><sup>5</sup> after being diagnosed with ovarian cancer might live longer. More research is being done in this area.

Adopt other nealthy	benaviors		

ones you can use safely while avoiding those that might be harmful.

#### If the cancer comes back

If the cancer does recur at some point, your treatment options will depend on where the cancer is located, what treatments you've had before, and your health.

For more general information on recurrence, you may also want to see <u>Understanding</u> Recurrence<sup>10</sup>.

## Could I get a second cancer after ovarian cancer treatment?

People who've had ovarian cancer can still get other cancers, Ovarian cancer survivors are at higher risk for getting some other types of cancer. Learn more in Second Cancers After Ovarian Cancer.

## **Getting emotional support**

Some amount of feeling depressed, anxious, or worried is normal when cancer is a part of your life. Some people are affected more than others. But everyone can benefit from help and support from other people, whether friends and family, religious groups, support groups, professional counselors, or others. Learn more in <u>Life After Cancer</u><sup>11</sup>.

## **Hyperlinks**

- 1. www.cancer.org/cancer/types/ovarian-cancer/treating/chemotherapy.html
- 2. <u>www.cancer.org/cancer/types/ovarian-cancer/detection-diagnosis-staging/staging.html</u>
- 3. <u>www.cancer.org/cancer/financial-insurance-matters/understanding-health-insurance.html</u>
- 4. www.cancer.org/cancer/survivorship/long-term-health-concerns/keeping-copies-of-important-medical-records.html

#### weight.html

- 9. <u>www.cancer.org/cancer/managing-cancer/treatment-types/complementary-and-integrative-medicine/dietary-supplements.html</u>
- 10. www.cancer.org/cancer/survivorship/long-term-health-concerns/recurrence.html
- 11. <u>www.cancer.org/cancer/survivorship/be-healthy-after-treatment/life-after-cancer.html</u>

#### References

Cannistra SA, Gershenson DM, Recht A. Ch 76 - Ovarian cancer, fallopian tube carcinoma, and peritoneal carcinoma. In: DeVita VT, Hellman S, Rosenberg SA, eds. *Cancer: Principles and Practice of Oncology*. 10th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2015.

Li J, Dowdy S, Tipton T, Podratz K, Lu WG, Xie X, Jiang SW. HE4 as a biomarker for ovarian and endometrial cancer management. *Expert Rev Mol Diagn*. 2009 Sep;9(6):555-566.

Morgan M, Boyd J, Drapkin R, Seiden MV. Ch 89 – Cancers Arising in the Ovary. In: Abeloff MD, Armitage JO, Lichter AS, Niederhuber JE, Kastan MB, McKenna WG, eds. *Clinical Oncology*. 5th ed. Philadelphia, PA: Elsevier; 2014: 1592.

Rock CL, Thomson C, Gansler T, et al. American Cancer Society guideline for diet and physical activity for cancer prevention. *CA: A Cancer Journal for Clinicians*. 2020;70(4). doi:10.3322/caac.21591. Accessed at https://onlinelibrary.wiley.com/doi/full/10.3322/caac.21591 on June 9, 2020.

Rock CL, Thomson CA, Sullivan KR, et al. American Cancer Society nutrition and physical activity guideline for cancer survivors. *CA Cancer J Clin.* 2022. https://doi.org/10.3322/caac.21719.

Salani R, Backes FJ, Fung MF, Holschneider CH, Parker LP, Bristow RE, Goff BA. Posttreatment surveillance and diagnosis of recurrence in women with gynecologic malignancies: Society of Gynecologic Oncologists recommendations. *Am J Obstet Gynecol*. 2011 Jun;204(6):466-78.

Last Revised: March 16, 2022

## **Second Cancers After Ovarian Cancer**

Cancer survivors can be affected by a number of health problems, but often their greatest concern is facing cancer again. If a cancer comes back after treatment it is called a "recurrence." But some cancer survivors may develop a new, unrelated cancer later. This is called a "second cancer." No matter what type of cancer you have had, it is still possible to get another (new) cancer, even after surviving the first.

Unfortunately, being treated for cancer doesn't mean you can't get another cancer. People who have had cancer can still get the same types of cancers that other people get. In fact, certain types of cancer and cancer treatments can be linked to a higher risk of certain second cancers.

Survivors of ovarian cancer can get any type of second cancer, but they have an increased risk of:

- Colon cancer<sup>1</sup>
- Rectal cancer<sup>2</sup>
- Small intestine cancer<sup>3</sup>
- Cancer of the renal pelvis<sup>4</sup> (part of the kidney)
- Breast cancer<sup>5</sup>
- Bladder cancer<sup>6</sup>
- Bile duct cancer<sup>7</sup>
- Melanoma of the eye<sup>8</sup>
- Acute leukemia<sup>9</sup>

Women treated with radiation therapy also have an increased risk of <u>soft tissue cancer</u><sup>10</sup> and possibly <u>pancreas cancer</u><sup>11</sup>.

The increased risk of leukemia is linked to treatment with chemotherapy. The main drugs linked with leukemia risk are platinum agents (like cisplatin and carboplatin) and alkylating agents (like cyclophosphamide and ifosfamide). The risk increases as the total dose of these drugs increases, but the overall risk is still low.

Genetic factors that may have caused ovarian cancer in the first place may also add to the risk of breast and colorectal cancers. For example, women with mutations in the *BRCA* genes have a high risk of both ovarian and breast cancer, as well as some other cancers. Women with the inherited disorder called hereditary non-polyposis colorectal cancer (HNPCC, also called Lynch syndrome), have a high risk of colon, rectum, small intestine, and renal pelvis cancers, as well as ovarian and other cancers.

Other risk factors for ovarian and breast cancer that overlap may also help explain some of the increased risk of breast cancer in ovarian cancer survivors.

Studies have shown that the risk of developing solid tumors is higher during all follow-up periods after ovarian cancer.

## Can I lower my risk of getting a second cancer?

There are steps you can take to lower your risk of getting another cancer and stay as healthy as possible. For example, it's important to <u>stay away from tobacco</u><sup>12</sup> products. Smoking increases the risk of many cancers.

To help maintain good health, ovarian cancer survivors should also:

- Get to and stay at a healthy weight<sup>13</sup>
- Keep physically active 14 and limit sitting or lying down time
- Follow a <u>healthy eating pattern</u><sup>15</sup> that includes plenty of fruits, vegetables, and whole grains, and that limits or avoids red and processed meats, sugary drinks, and highly processed foods.
- It's best not to drink <u>alcohol</u><sup>16</sup>. If you do drink, have no more than 1 drink per day for women or 2 drinks per day for men.

These steps may also lower the risk of some other health problems.

See <u>Second Cancers in Adults</u><sup>17</sup> for more information about causes of second cancers.

## **Hyperlinks**

- 1. www.cancer.org/cancer/types/colon-rectal-cancer.html
- 2. www.cancer.org/cancer/types/colon-rectal-cancer.html

- 3. <a href="www.cancer.org/cancer/types/small-intestine-cancer.html">www.cancer.org/cancer/types/small-intestine-cancer.html</a>
- 4. www.cancer.org/cancer/types/kidney-cancer.html
- 5. www.cancer.org/cancer/types/breast-cancer.html
- 6. www.cancer.org/cancer/types/bladder-cancer.html
- 7. www.cancer.org/cancer/types/bile-duct-cancer.html
- 8. www.cancer.org/cancer/types/eye-cancer.html
- 9. www.cancer.org/cancer/types/acute-myeloid-leukemia.html
- 10. www.cancer.org/cancer/types/soft-tissue-sarcoma.html
- 11. www.cancer.org/cancer/types/pancreatic-cancer.html
- 12. www.cancer.org/cancer/risk-prevention/tobacco.html
- 13. <u>www.cancer.org/cancer/risk-prevention/diet-physical-activity/take-control-your-weight.html</u>
- 14. <a href="https://www.cancer.org/cancer/risk-prevention/diet-physical-activity/get-active.html">www.cancer.org/cancer/risk-prevention/diet-physical-activity/get-active.html</a>
- 15. <u>www.cancer.org/cancer/risk-prevention/diet-physical-activity/eat-healthy.html</u>
- 16. <a href="https://www.cancer.org/cancer/risk-prevention/diet-physical-activity/alcohol-use-and-cancer.html">www.cancer.org/cancer/risk-prevention/diet-physical-activity/alcohol-use-and-cancer.html</a>
- 17. <a href="https://www.cancer.org/cancer/survivorship/long-term-health-concerns/second-cancers-in-adults.html">www.cancer.org/cancer/survivorship/long-term-health-concerns/second-cancers-in-adults.html</a>

#### References

Freedman DM, Curtis RE, Travis LB, Fraumeni Jr JF. New Malignancies Following Cancer of the Uterine Corpus and Ovary. In: Curtis RE, Freedman DM, Ron E, Ries LAG, Hacker DG, Edwards BK, Tucker MA, Fraumeni JF Jr. (eds). New Malignancies Among Cancer Survivors: SEER Cancer Registries, 1973-2000. National Cancer Institute. NIH Publ. No. 05-5302. Bethesda, MD, 2006. Accessed on 2/13/2018 at http://seer.cancer.gov/archive/publications/mpmono/MPMonograph\_complete.pdf.

Rock CL, Thomson C, Gansler T, et al. American Cancer Society guideline for diet and physical activity for cancer prevention. *CA: A Cancer Journal for Clinicians.* 2020;70(4). doi:10.3322/caac.21591. Accessed at

https://onlinelibrary.wiley.com/doi/full/10.3322/caac.21591 on June 9, 2020.

Last Revised: June 9, 2020

## Written by

The American Cancer Society medical and editorial content team <a href="https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html">https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html</a>)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/about-us/policies/content-usage.html).

cancer.org | 1.800.227.2345