cancer.org | 1.800.227.2345

Merkel Cell Skin Cancer Causes, Risk Factors, and Prevention

Learn about the risk factors for Merkel cell carcinoma and what you might be able to do to help lower your risk.

Risk Factors

A risk factor is anything that affects your chance of getting a disease such as cancer. Learn more about the risk factors for Merkel cell carcinoma.

- Merkel Cell Carcinoma Risk Factors
- What Causes Merkel Cell Carcinoma?

Prevention

There's no sure way to prevent Merkel cell carcinoma. But there are things you can do that might help lower your risk. Learn more.

Can Merkel Cell Carcinoma Be Prevented?

Merkel Cell Carcinoma Risk Factors

- · Having light-colored skin
- Being older
- Being male
- Having a weakened immune system

A risk factor is anything that raises your chance of getting a disease such as cancer. Different cancers have different risk factors. Some risk factors, like smoking, weight, and sun exposure, can be controlled. Others, like your age or family history, can't be changed.

Having a risk factor for Merkel cell carcinoma (MCC), or even many risk factors, doesn't mean that you will get it. Most people with risk factors never get MCC, while others with this disease may have few or no known risk factors.

These are some known risk factors for MCC:

Merkel cell polyomavirus (MCV) infection

The Merkel cell polyomavirus (MCV) is found in the cancer cells of about 8 out of 10 people with MCC. MCV is a common virus. Most people are infected with it at some point (often as children). But the infection doesn't cause symptoms, and it rarely leads to MCC. Because of this, there are no recommended screening tests or treatments for MCV infection.

MCV was first discovered in 2008, and scientists are still learning about this virus. For

From tanning beds: Tanning beds are another source of UV rays. MCC is a rare cancer, and no studies have looked for a link between MCC and tanning bed use. But it stands to reason that more exposure to UV rays increases the risk.

From psoriasis treatments: Some patients with psoriasis (a long-lasting inflammatory skin disease) are given medicines called psoralens along with UV light treatments, this is known as PUVA treatments. This can increase the risk of MCC.

To learn more about the effects of UV rays on the skin and what you can do to protect yourself and your loved ones, see How Do I Protect Myself from Ultraviolet (UV) Rays2?

Having light-colored skin

The risk of MCC is much higher for White people than for African Americans or Hispanics. Nearly all (more than 9 out of 10) MCCs are diagnosed in White people. This is probably because darker skin has a protective effect against the damaging effects of UV rays.

Being older

The risk of MCC goes up as people get older. In fact, this cancer is very rare in people under the age of 50. About 8 out of 10 people with MCC are over age 70. The increased risk may be related to skin damage caused by sun exposure over time and the fact that people's immune systems tend to become weaker as they get older.

Being male

Men are 2-times more likely than women to develop MCC. This might be because they

increases their risk of developing MCC. People with autoimmune diseases (like lupus) sometimes take medicines that suppress the immune system, which might increase their risk for other diseases.

People with HIV³, the virus that causes AIDS, often have weakened immune systems and are also at increased risk for MCC.

People with some types of blood cancers, such as <u>chronic lymphocytic leukemia</u> (<u>CLL</u>)⁴ or certain <u>lymphomas</u>⁵, also tend to have weakened immune systems. This can be from the cancer itself, or from its treatment. People with these cancers are more likely to get MCC.

MCCs in people with weakened immune systems tend to grow faster and are more likely to be life-threatening.

Hyperlinks

- 1. www.cancer.org/cancer/risk-prevention/sun-and-uv/uv-radiation.html
- 2. www.cancer.org/cancer/risk-prevention/sun-and-uv/uv-protection.html
- 3. www.cancer.org/cancer/risk-prevention/infections/hiv-infection-aids.html

Last Revised: October 9, 2018

What Causes Merkel Cell Carcinoma?

Although we know some of the things that can increase a person's risk of Merkel cell carcinoma (MCC), it's not clear exactly how these things might cause MCC.

Cancer is caused by changes in the DNA inside of cells. DNA in our cells makes up our genes, which control how our cells work. We usually look like our parents because they are the source of our DNA. But DNA affects more than just how we look.

Some genes help control when our cells grow, divide into new cells, and die:

- Genes that help cells grow, divide, and stay alive are called **oncogenes**.
- Genes that keep cell growth in check by slowing down cell division or making cells die at the right time are called tumor suppressor genes.

Cancers can be caused by DNA changes that turn on oncogenes or turn off tumor suppressor genes. Changes in many different genes are usually needed for a cell to become a cancer cell.

Researchers don't yet know all of the DNA changes that can result in MCC, but they have found that many of these cancers have changes in tumor suppressor genes.

MCC does not seem to run in families, so the DNA changes that lead to MCC are not likely passed on (inherited) from a person's parents. Instead, these changes probably happen during the person's life. Sometimes these changes might just be random events that happen inside cells, without having an outside cause. But sometimes the cause might be something specific, like long-term sun exposure or infection with the Merkel cell polyomavirus (MCV).

<u>Ultraviolet (UV) radiation</u>¹ can damage the DNA inside skin cells. Sometimes this damage affects certain genes that control how and when cells grow and divide, which may be the first step on the path to cancer.

Hyporlinks

How MCV infection plays a role in the development of MCC isn't clear. But researchers have found that the virus can get inside cells and cause them to make a protein that turns off tumor suppressor genes, which might lead to MCC.

MCV infection might help explain why people with weakened immune systems have a higher risk of MCC. It might be that the virus is normally kept in check (but not killed) by the immune system. A weakened immune system could then allow the virus to grow and flourish, which in turn might raise the risk of MCC.

Scientists are looking for the specific DNA changes inside MCC cells to help explain what causes it. A better understanding of how damaged DNA leads to MCC might also be used to design better treatments for it.

rrypermins			

Can Merkel Cell Carcinoma Be Prevented?

- Limit your exposure to ultraviolet (UV) rays
- Keep your immune system strong

Your risk of getting Merkel cell carcinoma (MCC) is low, and some risk factors for MCC, such as your age, sex, and skin color can't be controlled. Still, there are things you can do that might help lower your risk. These might also lower your risk of getting more common types of skin cancer¹, as well as some other types of cancer.

Limit your exposure to ultraviolet (UV) rays

The most important way to lower your risk of skin cancers (including MCC) is to limit your <u>exposure to UV rays</u>². Practice sun safety when you are outdoors.

Seek shade

Simply staying in the shade is one of the best ways to limit your UV exposure.

"Slip! Slop! Slap! ®... and Wrap"

This catchphrase can help you remember some of the key steps you can take to protect yourself from UV rays. If you're going to be in the sun:

- Slip on a shirt.
- Slop on sunscreen.
- Slap on a hat.
- Wrap on sunglasses to protect your eyes and the sensitive skin around them.

Don't use tanning beds or sunlamps

Many people believe the UV rays of tanning beds are harmless. This is not true. Tanning lamps give off UV rays, which can cause long-term skin damage and can contribute to skin cancer. Most skin doctors and health organizations recommend not using tanning beds and sun lamps.

Clarke CA, Robbins HA, Tatalovich Z, et al. Risk of Merkel cell carcinoma after solid organ transplantation. *J Natl Cancer Inst.* 2015;107(2):1-9.

Merkelcell.org. Seattle Multidisciplinary MCC Team, University of Washington MCC Research, Fred Hutchinson Cancer Research Center, and the Seattle Cancer Care Alliance/Skin Cancer. What immune problems make beating MCC more difficult? Accessed at merkelcell.org/resources/faqs/ on July 23, 2018.

Last Revised: October 9, 2018

Written by

The American Cancer Society medical and editorial content team (https://www.cancer.org/cancer/acs-medical-content-and-news-staff.html)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/about-us/policies/content-usage.html).

cancer.org | 1.800.227.2345