

STATE	2013 Estimate Cases	2012 Estimate Cases	1 Year Survival	2011 Estimate Cases	2 Year Survival	2010 Estimate Cases	3 Year Survival	2009 Estimate Cases	4 Year Survival	2008 Estimate Cases	5 Year Survival	Estimated 1-5 Year Survivors
NM	10,090	9,640	77.4%	9,630	69.2%	9,210	64.2%	8,830	60.4%	8,260	57.2%	30,100
NY	108,760	109,440	77.4%	107,260	69.2%	103,340	64.2%	101,550	60.4%	97,130	57.2%	342,170
NC	53,200	51,860	77.4%	48,870	69.2%	45,120	64.2%	42,270	60.4%	40,420	57.2%	151,580
ND	3,510	3,510	77.4%	3,560	69.2%	3,300	64.2%	3,200	60.4%	3,090	57.2%	11,000
OH	66,610	66,560	77.4%	65,060	69.2%	64,450	64.2%	62,420	60.4%	56,840	57.2%	208,130
OK	20,160	19,210	77.4%	18,980	69.2%	18,670	64.2%	18,110	60.4%	17,860	57.2%	61,140
OR	21,720	21,370	77.4%	21,180	69.2%	20,750	64.2%	19,210	60.4%	19,230	57.2%	67,120
PA	79,560	78,340	77.4%	78,030	69.2%	75,260	64.2%	74,170	60.4%	70,110	57.2%	247,860 (7) 4 (.) - 5 (2) 4
RI	6,280	6,310	77.4%	6,090	69.2%	5,970	64.2%	6,250	60.4%	6,120	57.2%	20,210
SC	27,620	26,570	77.4%	25,510	69.2%	23,240	64.2%	22,100	60.4%	20,740	57.2%	78,350
SD	4,570	4,430	77.4%	4,430	69.2%	4,220	64.2%	4,120	60.4%	4,030	57.2%	15,730
TN	36,580	35,610	77.4%	34,750	69.2%	33,070	64.2%	32,200	60.4%	31,200	57.2%	115,730