	Female	2.20 (1 in 46)	<b>79 (1 in 11)</b> 9.19 (1 in 11)	16.03 (1 in 6) 10.39 (1 in 10)	38.07 (1 in 3) 26.69 (1 in 4)	44.81 (1 in 2) 38.17 (1 in 3)
Urinary bladder‡	Male Female	0.02 (1 in 4,924) 0.01 (1 in 12,663)	0.37 (1 in 272) 0.12 (1 in 864)	0.92 (1 in 109) 0.24 (1 in 410)	3.69 (1 in 27) 0.98 (1 in 106)	3.81 (1 in 26) 1.15 (1 in 87)
Breast	Female	0.50 (1 in 202)	3.78 (1 in 26)	3.56 (1 in 28)	6.65 (1 in 15)	12.38 (1 in 8)
Colon & rectum	Male Female	0.08 (1 in 1,212) 0.08 (1 in 1,236)	0.94 (1 in 106) 0.75 (1 in 134)	1.40 (1 in 71) 0.98 (1 in 102)	4.19 (1 in 24) 3.80 (1 in 26)	5.17 (1 in 19) 4.78 (1 in 21)
Leukemia	Male Female	0.16 (1 in 612) 0.13 (1 in 746)	0.23 (1 in 440) 0.15 (1 in 655)	0.35 (1 in 288)	1.26 (1 in 80)	1.59 (1 in 63)
			0.55 (1 in 181)	0.40 (1 in 248)	0.84 (1 in 120)	1 85 (1 in 5 <i>1</i> )
Non-Hodgkin Iymphoma	Male Female	0.13 (1 in 753) 0.09 (1 in 1,147)	0.44 (1 in 225) 0.31 (1 in 322)	0.60 (1 in 167) 0.44 (1 in 229)	1.77 (1 in 57) 1.40 (1 in 72)	2.34 (1 in 43) 1.93 (1 in 52)
Prostate	Male	0.01 (1 in 7,964)	2.68 (1 in 37)	6.78 (1 in 15)	12.06 (1 in 8)	16.15 (1 in 6)
Uterine cervix	Female	0.16 (1 in 641)	0.27 (1 in 374)	0.13 (1 in 795)	0.18 (1 in 551)	0.68 (1 in 147)
Uterine corpus	Female	0.07 (1 in 1,348)	0.77 (1 in 129)	0.89 (1 in 112)	1.25 (1 in 80)	2.64 (1 in 38)

\*For those who are cancer-free at the beginning of each age interval. †All sites excludes basal cell and squamous cell skin cancers and in situ cancers except urinary bladder. ‡Includes invasive and in situ cancers. §Statistic is for whites only.